CONTENTS

VOLUME 120 · NUMBER 1 · JULY 2002

1 ANNALISA BUCCHI, MIRKO BARUSCOTTI, and DARIO DIFRANCESCO. Current-dependent block of rabbit sino-atrial node I_f channels by ivabradine

15 RONGHUA ZHUGE, KEVIN E. FOGARTY, RICHARD A. TUFT, and JOHN V. WALSH, JR. Spontaneous transient outward currents arise from microdomains where BK channels are exposed to a mean Ca^{2+} concentration on the order of 10 μM during a Ca^{2+} spark

29 VIRA V. ARTYM and HOWARD R. PETTY. Molecular proximity of Kv1.3 voltage-gated potassium channels and β_1-integrins on the plasma membrane of melanoma cells: Effects of cell adherence and channel blockers

39 HUAJUN LIU, MICHIHIRO TATEYAMA, COLLEEN E. CLANCY, HUGUES ABRIEL, AND ROBERT S. KASS Channel openings are necessary but not sufficient for use-dependent block of cardiac Na^+ channels by flecainide: Evidence from the analysis of disease-linked mutations

53 LAI-HUA XIE, SCOTT A. JOHN, and JAMES N. WEISS. Spermine block of the strong inward rectifier potassium channel Kir2.1: Dual roles of surface charge screening and pore block

67 BERNARD C. ROSSIER. *Commentary:* Hormonal regulation of the epithelial sodium channel ENaC: N or P_o?

71 RYAN G. MORRIS and JAMES A. SCHAFER. cAMP increases density of ENaC subunits in the apical membrane of MDCK cells in direct proportion to amiloride-sensitive Na^+ transport

87 SHINGHUA DING and RICHARD HORN. Tail end of the S6 segment: Role in permeation in *Shaker* potassium channel

99 MANUEL SIMOES, LINE GARNEAU, HÉLÈNE KLEIN, UMBERTO BANDERALI, FADI HOBEILA, BENOIT ROUX, LUCIE PARENT, and RÉMY SAUVÉ. Cysteine mutagenesis and computer modeling of the S6 region of an intermediate conductance IKCa channel

1*a* ABSTRACTS OF PAPERS AT THE FIFTY-SIXTH ANNUAL MEETING OF THE SOCIETY OF GENERAL PHYSIOLOGISTS

31*a* INDEX TO AUTHORS OF ABSTRACTS

VOLUME 120 · NUMBER 2 · AUGUST 2002

117 OLAF ANDERSEN. Editorial: Expanding the mission

119 ANGELA N. EICKHORST, AMY BERSON, DEBRA COCKAYNE, HENRY A. LESTER, and BALJIT S. KHAKH. Control of $P2X_2$ channel permeability by the cytosolic domain

133 AHMED CHRAÏBI and JEAN-DANIEL HORISBERGER. Na self inhibition of human epithelial Na channel: Temperature dependence and effect of extracellular proteases

147 SOMA DE and THOMAS P. SAKMAR. Interaction of A2E with model membranes. Implications to the pathogenesis of age-related macular degeneration

159 CHUNG-CHIN KUO, TING-JIUN LIN, and CHI-PAN HSIEH. Effect of Na^+ flow on Cd^{2+} block of tetrodotoxin-resistant Na^+ channels

173 LIN BAO, ANNE M. RAPIN, ERICKA C. HOLMSTRAND, and DANIEL H. COX. Elimination of the BK_{Ca} channel's high-affinity Ca^{2+} sensitivity

191 GRÉGOIRE VUAGNIAUX, VÉRONIQUE VALLET, NICOLE FOWLER JAEGER, EDITH HUMMLER, and BERNARD C. ROSSIER. Synergistic activation of ENaC by three membrane-bound channel-activating serine proteases (mCAP1, mCAP2, and mCAP3) and serum- and glucocorticoid-regulated kinase (Sgk1) in *Xenopus* oocytes

203 Robert O. Blaustein. Kinetics of tethering quaternary ammonium compounds to K^+ channels

217 David E. Clapham. *Commentary:* Sorting out MIC, TRP, and CRAC ion channels

221 J. Ashot Kozak, Hubert H. Kerschbaum, and Michael D. Cahalan. Distinct properties of CRAC and MIC channels in RBL cells

237 Fuad Kassab, Jr., Ricardo Paulino Marques, and Francisco Lacaz-Vieira. Modeling tight junction dynamics and oscillations

249 Zhuren Wang and David Fedida. Uncoupling of gating charge movement and closure of the ion pore during recovery from inactivation in the Kv1.5 channel

VOLUME 120 · NUMBER 3 · SEPTEMBER 2002

261 Christopher J. Lingle. *Commentary:* Setting the stage for molecular dissection of the regulatory components of BK channels

267 Frank T. Horrigan and Richard W. Aldrich. Coupling between voltage sensor activation, Ca^{2+} binding and channel opening in large conductance (BK) potassium channels

307 P.B. Goforth, R. Bertram, F.A. Khan, M. Zhang, A. Sherman, and L.S. Satin. Calcium-activated K^+ channels of mouse β-cells are controlled by both store and cytoplasmic Ca^{2+}: Experimental and theoretical studies

323 Crina M. Nimigean and Christopher Miller. Na^+ block and permeation in a K^+ channel of known structure

337 Kristen M.S. O'Connell, Naohiro Yamaguchi, Gerhard Meissner, and Robert T. Dirksen. Calmodulin binding to the 3614–3643 region of RyR1 is not essential for excitation–contraction coupling in skeletal myotubes

349 S.M. Baylor, S. Hollingworth, and W.K. Chandler. Comparison of simulated and measured calcium sparks in intact skeletal muscle fibers of the frog

369 Richard J. Prince, Richard A. Pennington, and Steven M. Sine. Mechanism of tacrine block at adult human muscle nicotinic acetylcholine receptors

395 Richard W. Carr, Svetlana Pianova, and James A. Brock. The effects of polarizing current on nerve terminal impulses recorded from polymodal and cold receptors in the guinea-pig cornea

407 Robert Tarran, Matthew E. Loewen, Anthony M. Paradiso, John C. Olsen, Micheal A. Gray, Barry E. Argent, Richard C. Boucher, and Sherif E. Gabriel. Regulation of murine airway surface liquid volume by CFTR and Ca^{2+}-activated Cl^- conductances

419 Thao P. Nguyen and Richard Horn. Movement and crevices around a sodium channel S3 segment

437 C.A. Cukras, I. Jeliazkova, and C.G. Nichols. The role of NH_2-terminal positive charges in the activity of inward rectifier K_{ATP} channels

VOLUME 120 · NUMBER 4 · OCTOBER 2002

447 Olaf Sparre Andersen. Perspectives on molecular movements of voltage sensors

449 Richard Horn. *Perspective:* Coupled movements in voltage-gated ion channels

455 Chris S. Gandhi and Ehud Y. Isacoff. *Perspective:* Molecular models of voltage sensing

465 Francisco Bezanilla. *Perspective:* Voltage sensor movements

475 H. Peter Larsson. *Perspective:* The search is on for the voltage sensor-to-gate coupling

483 Steven M. Sine, Xing-Ming Shen, Hai-Long Wang, Kinji Ohno, Won-Yong Lee, Akira Tsujino, Joan Brengmann, Nina Bren, Jiri Vajsar, and Andrew G. Engel. Naturally occurring mutations at the acetylcholine receptor binding site independently alter ACh binding and channel gating

497 Mark A. Milanick and Krista L. Arnett. Extracellular protons regulate the extracellular cation selectivity of the sodium pump

509 Arie F. Struyk and Stephen C. Cannon. Slow inactivation does not block the aqueous accessibility to the outer pore of voltage-gated Na channels

517 Franklin M. Mullins, Svetlana Z. Stepanovic, Reshma R. Desai, Alfred L. George, Jr., and Jeffrey R. Balser. Extracellular sodium interacts with the HERG channel at an outer pore site

539 Donglin Guo and Zhe Lu. IRK1 inward rectifier K^+ channels exhibit no intrinsic rectification

553 Ping Zhang and Cecilia M. Canessa. Single channel properties of rat acid–sensitive ion channel-1α, -2a, and -3 expressed in *Xenopus* oocytes

567 Roger C. Thomas. The effects of HCl and $CaCl_2$ injections on intracellular calcium and pH in voltage-clamped snail (*Helix aspersa*) neurons

581 Tsukasa Gotow and Takako Nishi. Light-dependent K^+ channels in the mollusc *Onchidium* simple photoreceptors are opened by cGMP

599 Correction

601 Correction

VOLUME 120 · NUMBER 5 · NOVEMBER 2002

603 Ming Lu, Steven C. Hebert, and Gerhard Giebisch. Hydrolyzable ATP and PIP_2 modulate the small-conductance K^+ channel in apical membranes of rat cortical-collecting duct (CCD)

617 H. Ishiguro, M.C. Steward, Y. Sohma, T. Kubota, M. Kitagawa, T. Kondo, R.M. Case, T. Hayakawa, and S. Naruse. Membrane potential and bicarbonate secretion in isolated interlobular ducts from guinea-pig pancreas

629 Baron Chanda and Francisco Bezanilla. Tracking voltage-dependent conformational changes in skeletal muscle sodium channel during activation

647 Zhen Zhou, Shenghui Hu, and Tzyh-Chang Hwang. Probing an open CFTR pore with organic anion blockers

663 Zhe Lu, Angela M. Klem, and Yajamana Ramu. Coupling between voltage sensors and activation gate in voltage-gated K^+ channels

677 Yuichiro Fujiwara and Yoshihiro Kubo. Ser165 in the second transmembrane region of the Kir2.1 channel determines its susceptibility to blockade by intracellular Mg^{2+}

693 Katja Köhler, Ian C. Forster, Gerti Stange, Jürg Biber, and Heini Murer. Transport function of the renal type IIa Na^+/P_i cotransporter is codetermined by residues in two opposing linker regions

707 A.K. Stewart, M.N. Chernova, B.E. Shmukler, S. Wilhelm, and S.L. Alper. Regulation of AE2-mediated Cl^- transport by intracellular or by extracellular pH requires highly conserved amino acid residues of the AE2 NH_2-terminal cytoplasmic domain

723 Jie Liu, Mei Zhang, Min Jiang, and Gea-Ny Tseng. Structural and functional role of the extracellular S5-P linker in the HERG potassium channel

739 PAYAM ANDALIB, MICHAEL J. WOOD, and STEPHEN J. KORN. Control of outer vestibule dynamics and current magnitude in the Kv2.1 potassium channel

VOLUME 120 · NUMBER 6 · DECEMBER 2002

757 OLAF SPARRE ANDERSEN. Perspectives on the identity of the H^+ channel involved in the respiratory burst

759 LYDIA M HENDERSON and ROBERT W. MEECH. *Perspective:* Proton conduction through $gp91^{phox}$

767 NICOLAS TOURET and SERGIO GRINSTEIN. *Perspective:* Voltage-gated proton "channels": a spectator's viewpoint

773 THOMAS E. DECOURSEY, DERI MORGAN, and VLADIMIR V. CHERNY. *Perspective:* The $gp91^{phox}$ component of NADPH oxidase is not a voltage-gated proton channel

781 ANDRÉS MATURANA, KARL-HEINZ KRAUSE, and NICOLAS DEMAUREX. *Perspective:* NOX family NADPH oxidases: do they have built-in proton channels?

787 S. A. SIMON. *Commentary:* Interactions between salt and acid stimuli: a lesson in gustation from simultaneous epithelial and neural recordings

793 VIJAY LYALL, RAMMY I. ALAM, TAM-HAO T. PHAN, ONEAL F. RUSSELL, SHAHBAZ A. MALIK, GERARD L. HECK, and JOHN A. DESIMONE. Modulation of rat chorda tympani NaCl responses and intracellular Na^+ activity in polarized taste receptor cells by pH

817 WEI-HONG XIONG and KING-WAI YAU. Rod sensitivity during *Xenopus* development

829 XIANG QIAN, CRINA M. NIMIGEAN, XIAOWEI NIU, BRENDA L. MOSS, and KARL L. MAGLEBY. Slo1 tail domains, but not the Ca^{2+} bowl, are required for the β1 subunit to increase the apparent Ca^{2+} sensitivity of BK channels

845 LIXIA YUE, BETSY NAVARRO, DEJIAN REN, ARNOLT RAMOS, and DAVID E. CLAPHAM. The cation selectivity filter of the bacterial sodium channel, NaChBac

855 JACOPO MAGISTRETTI and ANGEL ALONSO. Fine gating properties of channels responsible for persistent sodium current generation in entorhinal cortex neurons

875 WEIYUAN MA, SHAI D. SILBERBERG, and ZVI PRIEL. Distinct axonemal processes underlie spontaneous and stimulated airway ciliary activity

887 THOMAS ZIMMER and KLAUS BENNDORF. The human heart and rat brain IIA Na^+ channels interact with different molecular regions of the β_1 subunit

897 MELISSA PALMER-DENSMORE, CHATSRI DEACHAPUNYA, MATHUR KANNAN, and SCOTT M. O'GRADY. UTP-dependent inhibition of Na^+ absorption requires activation of PKC in endometrial epithelial cells